

# **SPECIFICATION**

**REDUNDANT POWER SUPPLY**

**WITH ACTIVE PFC FUNCTION**

**BPS-460RPX      6 OUTPUTS**

**460W + 460W**

**BEST POWER SOLUTIONS INC.,**

**9F, NO. 196-7, SEC. 3 TA-TUNG RD. SHI CHIH**

**TAIPEI TAIWAN R.O.C.**

**TEL: +886-2-8647-1188**

**FAX: +886-2-8647-3322**

<b>1.0</b>	<b>General</b>
<b>1.1</b>	<b>Parameter Specifications</b>
<b>2.0</b>	<b>Input Characteristics</b>
<b>2.1</b>	<b>Input Voltage</b>
<b>2.2</b>	<b>Input Waveform</b>
<b>2.3</b>	<b>Input Frequency</b>
<b>2.4</b>	<b>Input Current</b>
<b>2.5</b>	<b>In-Rush Current</b>
<b>2.6</b>	<b>Line Regulation</b>
<b>2.7</b>	<b>Input Leakage Current</b>
<b>2.8</b>	<b>Isolation (Hi-Pot)</b>
<b>3.0</b>	<b>Output Characteristics</b>
<b>3.1</b>	<b>DC Output Characteristics</b>
<b>3.2</b>	<b>Overshoot</b>
<b>3.3</b>	<b>Efficiency</b>
<b>4.0</b>	<b>Time Sequence</b>
<b>4.1</b>	<b>Hold-Up Time</b>
<b>4.2</b>	<b>Power Good Signal</b>
<b>4.3</b>	<b>+5 Volt &amp; +3.3V Power Good Output Rise Time</b>
<b>4.4</b>	<b>Start-Up Time</b>
<b>4.5</b>	<b>Dynamic Load Response Time</b>
<b>5.0</b>	<b>Protection</b>
<b>5.1</b>	<b>Over Power Protection</b>
<b>5.2</b>	<b>Over Voltage Protection</b>
<b>5.3</b>	<b>Short Circuit Protection</b>
<b>5.4</b>	<b>No Load Operation</b>
<b>5.5</b>	<b>5VSB (Standby)</b>
<b>5.6</b>	<b>PS-ON (Remote ON/OFF)</b>
<b>5.7</b>	<b>3.3V Sense</b>
<b>6.0</b>	<b>System Interface Signal</b>

<b>6.1</b>	<b>Power System Fault Signal</b>
<b>6.2</b>	<b>Alarm Beeping Sound</b>
<b>7.0</b>	<b>Physical Characteristics</b>
<b>7.1</b>	<b>Size</b>
<b>7.2</b>	<b>Mounting Requirements</b>
<b>7.3</b>	<b>Weight</b>
<b>7.4</b>	<b>Cooling</b>
<b>8.0</b>	<b>Connectors</b>
<b>8.1</b>	<b>DC Output Wire List</b>
<b>8.2</b>	<b>AC Input</b>
<b>9.0</b>	<b>Environmental</b>
<b>9.1</b>	<b>Temperature</b>
<b>9.2</b>	<b>Relative Humidity</b>
<b>9.3</b>	<b>Altitude</b>
<b>9.4</b>	<b>Shock</b>
<b>9.5</b>	<b>Vibration</b>
<b>9.6</b>	<b>Power Line Transient</b>
<b>9.7</b>	<b>Acoustic Noise</b>
<b>10.0</b>	<b>Regulatory Agency Certification</b>
<b>10.1</b>	<b>RFI/EMI Standards</b>
<b>10.2</b>	<b>Safety Standards</b>
<b>11.0</b>	<b>Reliability</b>
<b>11.1</b>	<b>Mean Time Between Failures (MTBF)</b>
<b>11.2</b>	<b>Warranty</b>

## 1.0 General

This specification describes the physical, functional and electrical characteristics of a redundancy power 460W + 460W, 6 outputs, and fan-cooled power supply with Active PFC Function.

## 1.1 Parameter Specifications

Unless specified otherwise, all parameters must not over the limits of temperature, load and input voltage.

## 2.0 Input Characteristics

### 2.1 Input Voltage

Input voltage range set with a FULL RANGE 110 ~ 240 VAC.

### 2.2 Input Waveform

The unit is capable of operating with a 10% distorted sine wave input as measured by a distortion analyzer. Its flat topping clipped 10% from the peak value of standard sine wave.

### 2.3 Input Frequency

47 Hz to 63Hz

### 2.4 Input Current

Input Power	600W
Vin: 110VAC	7 A
Vin: 240VAC	4 A

### 2.5 In-Rush Current

#### CONDITION

132/264 VAC, FULL load  
Turn off 1Sec., turn on at  
Peak of input voltage cycle.  
25°C Air Ambient cold start.

#### LIMITS

NO damage shall occur or  
components over stressed,  
Input fuse shall not blow.

### 2.6 Line Regulation

#### CONDITIONS

#### LIMITS

Full load, +/- 1%  
 90/180 - 132/264 VAC input

## 2.7 Input Leakage Current

Input leakage current from line to ground will be less than 3.5mA rms. Measurement will be made at 240VAC and 60Hz.

## 2.8 Isolation (Hi-Pot)

15000VRMS, 50Hz, for one (1) minute between each input AC line and the grounding conductor.

3000VRMS, 50Hz, for one (1) minute between the input AC lines and secondary low voltage outputs and shields. All isolation transformers will have been tested prior to assembly into a power supply unit. And such transformers without a grounded shield will be tested to 3750VRMS.

## 3.0 Output Characteristics

### 3.1 DC Output Characteristics

To be met under all combinations of loading.

Output Voltage	V1 +5V	V2 3.3V	V3 +12V	V4 -5V	V5 -12V	5VSB Standby
Max. Load	45A	25A	25A	1A	1A	2.5A
Min. Load	3A	0A	1A	0A	0A	0A
Max. Power	250W			5W	12W	12.5W
	410W					
Load Reg. %	+/-5%	+5/-3%	+/-5%	+/-10%	+/-10%	+/-5%
Cross Reg. %	+/-5%	+5/-3%	+/-5%	+/-10%	+/-10%	+/-5%
Line Reg. %	+/-1%	+/-1%	+/-1%	+/-1%	+/-1%	+/-1%
Ripple %	+/-1%	+/-1%	+/-1%	+/-2%	+/-2%	+/-1%
Noise %	+/-1%	+/-1%	+/-1%	+/-2%	+/-2%	+/-1%

**Note 1:** The +12 Volt output of the power supply must be capable of 28 Amps peak for 10 seconds. A +/- 5% tolerance is permissible. Output voltage is measured at the load and of the output cable.

**Note 2:** Noise bandwidth is from DC to 20 MHz.

**Note 3:** Regulation tolerance shall include temperature change,

warm up drift and dynamic load.

### **3.2 Overshoot**

Any output overshoot at TURN-On shall not exceed 5% (+5V, +12V and +3.3V outputs) and 10% (-5V and -12V outputs) of nominal voltage value.

### **3.3 Efficiency**

70% min. at full load test

## **4.0 Time Sequence**

### **4.1 Hold-Up Time**

Unit shall continue to supply regulated DC outputs and power good signal for at least 20 milliseconds at 115/230 VAC full load after a loss of AC input voltage, which shall be represented by a short circuit at the AC input.

### **4.2 Power Good Signal**

When the power supply is turned off for a minimum of 1.0 second and turned on, the power good signal as described below will be generated. The power supply shall provide a power good signal to indicate proper operation of the power supply. The signal shall be a TTL compatible high level for normal operation, low level for fault conditions.

Power good shall go to a low level at least 1ms before the +5V output voltage falls below the regulation limits described in 3.1 DC Output Characteristics. The operation point used as a reference for measuring the 1ms shall be minimum line voltage and maximum load.

All waveform transitions shall be smooth and monotony, i.e. no oscillations. The power good signal shall stay low (during POWER-ON) until all output voltages are stable within regulation limits. The power good signal shall have a TURN-ON turn delay greater than 100ms but less than 500ms.

#### **4.2.1 Fan-Out**

Power-good output circuit shall consist of an active pull down



## 5.1 Over Power Protection

This power supply shut all DC outputs when +5VDC and +12VDC outputs are overloaded to the limit. The power supply logic shall latch into the off state requiring a power on cycle to be performed by the operator. The power supply will turn-off within 20ms of the occurrence of the overload. The -5VDC and -12VDC outputs will be internally current limited.

### CONDITIONS

90/180 VAC input

### LIMITS

When output power is over to 120%

## 5.2 Over Voltage Protection

The power supply shall latch off if the +5VDC or 3.3VDC or +12VDC maximum voltage exceeds the limits shown. The AC must be recycled to restart.

+5 VDC

### CONDITIONS

All operating

### LIMITS

6.25 VDC +/- 0.65VDC

+3.3VDC

### CONDITIONS

All operating

### LIMITS

4.10 VDC +/- 0.40VDC

+12VDC

### CONDITIONS

All operating

### LIMITS

13.6 - 15.6 VDC

## 5.3 Short Circuit Protection

A short circuit placed on any output shall cause no damage to this unit.

## 5.4 No Load Operation

When primary power is applied, with no load on any output voltage, no damage or hazardous conditions shall occur. In such case, the power supply shall power up and stabilize. However, minimum load required 3A for +5V and 1A for +12V.

## 5.5 5VSB (Standby)

The 5VSB output is always on (+5V Standby) when AC power is applied and power switch is turned on. The 5VSB line is capable of delivering at a maximum of 5A for PC board circuit to operate.

## 5.6 PS-ON (Remote ON/OFF)

PS-ON is an active low signal that turns on the entire main power rail including +3.3V, +5V, -5V, +12V and -12V power rails. When this signal is held by the PC board or left open circuited, outputs of the power rails should not deliver current and should be held at a zero potential with respect to ground. Power should only be delivered to the rails if PS-ON signal is held at ground potential. This signal should be held at +5VDC by a pull-up resistor internal to the power supply.

Power On	P1-PIN #14 PS-ON	Power Switch	P1-PIN #14 PS-ON
ON	L	ON	IN
OFF	H	ON	IN
OFF	X	ON	OUT
OFF	X	OFF	X

## 5.7 3.3V Sense

A remote 3.3V sense line can be added to the P1 connector Pin 2 to allow for accurate control of the 3.3VDC line directly at motherboard loads. Due to potential voltage drops across the connector and traces leading to the motherboard components, it may be advantageous to implement a 3.3V sense line that remotely monitors the 3.3VDC power level at the load on the motherboard.

## 6.0 System interface Signal

### 6.1 Power System Fault Signal

The Hot-Swap Redundant Power Supply shall give fault signal (an open collector output) that will indicate the status of the power supply operation. If one of the power supply unit shut down, the power fault signal could be generated. This signal shall be high level for normal operation, low level for fault conditions.

## 6.2 Alarm Beeping Sound

The alarm system monitors the power supply failure and provides alarm to indicate the status of the power system. By checking the LED on the power supply, end user will be able to locate the defective power unit. The alarm system will give a beeping sound to indicate the power supply failure until that particular power unit is replaced. Beeping sound could be suspended before the failure power supply unit replaced by pressing the Alarm Switch.

## 7.0 Physical Characteristics

### 7.1 Size

150\*86\*193mm

### 7.2 Mounting Requirements

See Appendix 1

### 7.3 Weight

2.8Kg

### 7.4 Cooling

Fans: SUNON (KD1208 PQB1-A), equivalent or better. Air Flow from the power supply should be exhaust direction and shall be rated at 24 CFM minimum.

## 8.0 Connections

### 8.1 DC Output Wire List

+ For ATX Mother Board

<u>Connector</u>	<u>Output</u>	<u>Wire Color</u>	<u>Wire Size</u>
<b>ATX 24 PIN</b>			
P1-1	+3.3V	BRN	16 AWG
P1-2	+3.3V	BRN	16 AWG
P1-3	GND	BLK	18 AWG
P1-4	+5V	RED	18 AWG

P1-5	GND	BLK	18 AWG
P1-6	+5V	RED	18 AWG
P1-7	GND	BLK	18 AWG
P1-8	PW-OK	ORG	18 AWG
P1-9	5VSB	BRN	18 AWG
P1-10	+12V	YEL	18 AWG
P1-11	+3.3V	BRN	16 AWG
P1-12	-12V	BLUE	18 AWG
P1-13	GND	BLK	18 AWG
P1-14	PS-ON	GRN	18 AWG
P1-15	GND	BLK	18 AWG
P1-16	GND	BLK	18 AWG
P1-17	GND	BLK	18 AWG
P1-18	-5V	WHT	18 AWG
P1-19	+5V	RED	18 AWG
P1-20	+5V	RED	18 AWG
P1-21	+5V	RED	18 AWG
P1-22	+5V	RED	18 AWG
P1-23	+5V	RED	18 AWG
P1-24	GND	BLK	18 AWG
<b>12V 8 PIN</b>			
P1-1	+12V	YEL	18 AWG
P1-2	+12V	YEL	18 AWG
P1-3	+12V	YEL	18 AWG
P1-4	+12V	YEL	18 AWG
P1-5	GND	BLK	18 AWG
P1-6	GND	BLK	18 AWG
P1-7	GND	BLK	18 AWG
P1-8	GND	BLK	18 AWG
<b>P11、P12 FDD</b>			
Pn-1	+12V	YEL	22 AWG
Pn-2	COM	BLK	22 AWG
Pn-3	COM	BLK	22 AWG
Pn-4	+5V	RED	22 AWG

<b>P13、P14 ODD</b>			
Pn-1	+12V	YEL	18 AWG
Pn-2	COM	BLK	18 AWG
Pn-3	COM	BLK	18 AWG
Pn-4	+5V	RED	18 AWG
<b>P15、P16 ODD</b>			
Pn-1	+12V	YEL	18 AWG
Pn-2	COM	BLK	18 AWG
Pn-3	COM	BLK	18 AWG
Pn-4	+5V	RED	18 AWG
<b>P17、P18 ODD</b>			
Pn-1	+12V	YEL	18 AWG
Pn-2	COM	BLK	18 AWG
Pn-3	COM	BLK	18 AWG
Pn-4	+5V	RED	18 AWG

## 8.2 AC Input

IEC 320 power inlet with EMI filter.

## 9.0 Environmental

### 9.1 Temperature

#### 9.1.1 Operating

50 to 122 °F (0 to 50 °C). Derate Linearly to 50% at 70 °C

#### 9.1.2 Non-operating

-4.0 to 140 °F (-20 to 60°C).

### 9.2 Relative Humidity

#### 9.2.1 Operating

20 to 90 % non-condensing at 104°F (40 °C).

### **9.2.2 Non-Operating**

5 to 95 % non-condensing at 122°F (50°C).

## **9.3 Altitude**

### **9.3.1 Operating**

Sea level to 10,000 feet.

### **9.3.2 Non-Operating**

Sea level to 40,000 feet.

## **9.4 Shock**

### **9.4.1 Operating**

The power supply shall exhibit no signs of damage or degradation of performance when subjected to a shock of 5g's for 11ms, with a 1/2 sine wave for each of the perpendicular axes X, Y and Z.

### **9.4.2 Non-Operating**

The power supply shall exhibit no signs of damage or degradation of performance when subjected to a shock of 30 g's for 11ms, with a 1/2 sine wave for each of the perpendicular axes X, Y and Z.

## **9.5 Vibration**

### **9.5.1 Operating**

The power supply shall be subjected to a vibration test consisting of a 10 to 500 Hz sweep at a constant acceleration of 0.5g for duration of one (1) hour for each of the perpendicular axes X, Y and Z. the output voltage shall remain within specification.

### **9.5.2 Non-Operating**

The power supply shall be subjected to a vibration test consisting of a 10 to 300Hz sweep at a constant acceleration of 2.0g for duration of one (1) hour for each of the perpendicular axes X, Y and Z. The power supply shall not incur physical damage or degradation of any

characteristics below the performance specifications.

## 9.6 Power Line Transient

### 9.6.1 Drop Out

With a full cycle input voltage drop-out at 50Hz, the unit shall operating within the prescribed voltages with a drop-out cycle repetition rate of 500ms.

#### CONDITIONS

Full LOAD, Nom. Input AC Voltage

#### LIMITS

Meet all requirements

### 9.6.2 Transient Voltage Spikes

The unit shall meet the following standards, the IEEE standard 587-1980 for surge withstand capability under categories A and B. The crest value of the first half peak of the injected Ring wave (0.5/10us) and Bi-wave (1.2/50us) will be 3K volts open circuit and 3KA (8us x 20us) short circuit. IEC 801-4 (EFT) on the power lines and all I/O cables to a level of 2.5KV without causing the Device(s) to fail the test.

IEC 801-5 Surge immunity measurement on the input power source of 2.5KV. All output shall be stable and in regulation.

## 9.7 Acoustic Noise

The power supply shall be tested in accordance with the ANSIS12.10-1985 standard specifications. The "A" weighted overall sound pressure level as well as individual octave band levels from 63 Hz to 16,000 Hz is measured with the noise meter placed 1 meter from the nearest vertical surface of center of fan installed in power supply.

#### CONDITIONS

115 VAC Input, full load of +5V  
0.5A of +12V.

#### LIMITS

Acoustic noise is 40 db maximum

Octave Band Center Frequency (Hz)								A-Weighted
125	250	500	1k	2k	4k	8k	16k	Max. Sum
20	36	42	42	42	36	30	20	40dBA

## **10.0 Regulatory Agency Certification**

### **10.1 RFI/EMI Standards**

The power supply, when installed in system, shall comply with the following radiated and conducted emissions standards:

- a) FCC part 15, Subpart A, Class A computing devices.
- b) CISPR22 (EN55022) Class A.
- c) VCCI Class 2.

These limits shall be met with a margin of at least 6dB at all applicable frequencies. The unit shall comply with the above limits when tested under all normal working conditions and with all interface cables connected.

### **10.2 Safety Standards**

The power supply shall be certified with the following safety standards,

- a) UL 1950 (Information Processing/Business equipment).
- b) CSA C22.2, NO. 234-M90 level 6 (Safety of component, power supplies) or CSA C22.2, NO. 950-M89.
- c) TUV Certification to IEC 950 1<sup>st</sup> edition with Amendment #1, #2, and EN60950
- d) CB Certificate & Test report deviation for the Nordic countries.
- e) CE Certificate & Test report.

## **11.0 Reliability**

### **11.1 Mean Time Between failures (MTBF)**




Using MIL217E the calculated MTBF = 100,000 hours at 25°C

### **11.2 Warranty**

Two (2) years manufacture's warranty

Date code indicating week and year of manufacture.





\*以上線長皆為外露線長

BEST POWER SOLUTION INC.		MIL. SPEC. UNSPECIFIED TOL.'S	
PRJ#	SCALE	9-40	MAX
FILE NO.	40	10-100	MAX
BRS-40RDX	TITLE	100-250	MAX
MODEL	40 REDUNDANT		
UNIT	SHEET	APP	CHK
MM	1/1	DN	DNV
	REV.	97.04.10	Jess